

Catalog

Dixie Shelving



237,000 sq. ft. manufacturing facility


Our Company had its start in 1930 and although we have had changes in manufacturing sites, we have a continuous record of manufacturing quality material handling products. During the last 72 years, our goal has been to improve our products and efficiency in manufacturing.

Today we produce products with the use of computer controlled production lines, automatic welding systems and powder coating.

Thank you for your trust. We will work hard to earn your confidence.

PHONE: 713-688-3798 FAX: 713-688-9164

**DURA RACK / DIXIE SHELVING
750 ALMEDA-GENOA RD.
HOUSTON, TX 77047**



Metal Shelving

To print specific product catalogs set printer to print the pages indicated below

- Dixie Shelving Catalog



PHONE: 713-688-3798 FAX: 713-688-9164

**DURA RACK
750 ALMEDA-GENOA RD.
HOUSTON, TX 77047**

Dixie Industrial Shelving

CLASS "0" & "I" Dixie Industrial Shelving is designed for normal loads. Class 0" is made from 20 gauge prime cold rolled steel. Class I" is made from 18-gauge prime cold rolled steel. Both are iron phosphated and painted with baked on enamel.	CLASS "I-A" Reinforced front to Dixie Class "I" Industrial Shelving has been added a 12 gauge angle bar 11/2" X 1" in the front flange. This added front strength supports shock of climbing or rough handling	CLASS "II" Reinforced front and back 12 gauge steel angle bars 11/2" X 1" in the front and rear flange for greater load capacity.	CLASS "III" For heavier load front and rear flange reinforcing with 12-gauge angle bars 11/2" X 1". Additional center reinforcing steel "Hat" section is welded under the entire length of the shelf.

LOAD CARRYING CAPACITIES - POUNDS PER SHELF Determined on an evenly distributed basis and not on impact load.

<i>Size</i>	<i>Class 0</i>	<i>Class 1</i>	<i>Class 1A</i>	<i>Class II</i>	<i>Class III</i>
<i>36 x 12</i>	450	775	905	1205	2000
<i>36 x 15</i>	430	765	895	1200	2000
<i>36 x 18</i>	420	760	885	1180	1600
<i>36 x 24</i>	400	750	875	1100	1600
<i>36 x 30</i>	N/A	600	765	1000	1550
<i>36 x 36</i>	N/A	500	750	990	1450
<i>42 x 12</i>	N/A	475	600	920	1300
<i>42 x 15</i>	N/A	470	590	905	1280
<i>42 x 18</i>	N/A	465	575	880	1260
<i>42 x 24</i>	N/A	455	565	810	1240
<i>42 x 30</i>	N/A	445	560	765	1230
<i>42 x 32</i>	N/A	440	550	700	1175
<i>42 x 36</i>	N/A	425	550	700	1175
<i>48 x 12</i>	N/A	320	415	660	1200
<i>48 x 15</i>	N/A	315	410	645	1200
<i>48 x 18</i>	N/A	310	405	585	875
<i>48 x 24</i>	N/A	305	400	580	750
<i>48 x 30</i>	N/A	300	390	475	675
<i>48 x 36</i>	N/A	300	385	425	600

Dixie Shelving Components

HEIGHT	WT. (LBS)	POST
73"	4.8	Punched on 1½" centers. Finished with a baked on enamel. 14 gauge cold rolled steel. Front leg - 1" Side leg - 1 15/16"
85"	5.5	
97"	6.2	
109"	6.9	
121"	8.0	
145"	9.4	



SIZE	WT. (LBS)	END SHEETS
12" x 85"	5.5	Finished in baked enamel. 24 gauge steel. Sheets longer than 85" are 2 pc.
15" x 85"	7.9	
18" x 85"	9.3	
24" x 85"	12.6	
30" x 85"	16.1	
36" x 85"	19.4	



SIZE	WT. (LBS)	BACK SHEETS
36" x 85"	21.1	Sheets longer than 85" are 2 pc. Finished in baked enamel, 24 gauge steel.
42" x 85"	24.6	
48" x 85"	28.1	



END BRACES		BACK BRACES	
SIZE	WT.	SIZE	WT.
12" w	.9	36" w	2.7
15" w	1.2	42" w	2.9
18" w	1.4	48" w	3.5
24" w	2.2		
30" w	2.5	Furnished in pairs 1" wide. Baked enamel finish.	
32" w	2.6		
36" w	2.7		



BIN FRONT

SIZE

36"
42"
48"

Baked enamel finish.



SHELF REINFORCEMENTS

SIZE

36"
42"
48"

WT.

1.5
1.7
1.9

12 gauge X 1 1/4" cold rolled steel.
Finished in baked enamel.



SHELF CLIP

12 gauge. Zinc coated.



BASE STRIP

SIZE

36"
42"
48"

WT.

1.5
1.7
2.0

Finished in baked enamel.



ANGLE CORNER BRACES (Gussets)

Zinc coated.
We suggest A.C.B. be used on all corners front and back used when back braces are eliminated to allow easy access from front or back of shelving.



POST SPLICE PLATE

14 gauge cold rolled steel with baked enamel finish.



SHELF DIVIDER

12" x 6"	24" x 6"
12" x 12"	24" x 12"
12" x 18"	24" x 18"
18" x 6"	24" x 24"
18" x 12"	36" x 6"
18" x 18"	36" x 12"
18" x 24"	36" x 18"
	36" x 24"



FULL LENGTH DIVIDER

Attaches to shelf above and below for extra strength.
Clear opening will be 1½" less than divider height.

Full opening divider.
Baked enamel finish.

Warranty

Dura Rack, Inc. Warrants goods purchased here under to be free of defects in materials and workmanship (finish excluded) for a period of one (1) year from date of shipment. This warranty shall not apply in event goods are damaged as a result of misuse, abuse, neglect, accident, improper application, modification or repair by persons not authorized by seller or damaged during shipment.

All implied warranties, including but not limited to warranties or merchantability and fitness for a particular purpose are hereby excluded.

Buyers remedy, if any, for any defective goods shall be limited to a refund by seller or replacement of goods at sellers option, and shall in no event include damages of any kind, whether incidental, consequential or otherwise

No goods accepted for return without prior approval. Seller shall have the right to inspect goods claimed to be defective at buyers place of business or require buyer to return the goods to seller for inspection on seller's premises. Transportation charges borne by seller only if goods are proven defective under warranty.

Dixie Shelving Pricing

New: Metal Shelving - Call For Quantity Discounts 1. 800.228.8054

36" x 12" x 85" w/7 levels open style class "0"	\$113.72	
36" x 18" x 85" w/7 levels open style class "0"	\$136.14	
36" x 24" x 85" w/7 levels open style class "0"	\$156.21	
42" x 18" x 85" w/7 levels open style class "1"	\$171.41	
42" x 24" x 85" w/7 levels open style class "1"	\$201.02	
48" x 18" x 85" w/7 levels open style class "1"	\$186.32	
	PHONE: 713-688-3798 FAX: 713-688-9164	
	DURA RACK	
	750 ALMEDA-GENOA RD.	
	HOUSTON, TX 77047	